



P.C. CONCRETE DWY, AND APPROACHES - COMMERCIAL



P.C. CONCRETE DWY. AND APPROACHES - RESIDENTIAL



## DRIVEWAY AND DRIVEWAY APPROACH PAVEMENT SECTION

Not to Scale

## NOTES:

- 1) Use Oregon Commercial Grade Concrete Per Section 00440 For Driveways And Approaches.
- 2) Sterilize Subgrade.
- 3) Compact Aggregate Base To 100% Density Of AASHTO T-99.
- 4) Compact Subgrade To 95% Density Of AASHTO T-99.



## DRIVEWAY AND DRIVEWAY APPROACH PAVEMENT SECTION

**PLOT STAMP:** 06/01/22 4:34P ANTHONYD **CAD:** 1010.DWG

**EFFECTIVE DATE:** 

06/01/2022

WASH. CO. #

1010