



**Communications System  
Bond Measure**

**Measure 34-243**  
Primary Election • May 17, 2016

**What would Measure 34-243 do?**

Authorize bonds to pay for \$77 million in capital costs for emergency and 911 facilities, including:

- **Converting** the existing system to current technology
- **Improving** countywide coverage by installing more towers
- **Strengthening** facilities for earthquakes, storms and other emergencies
- **Providing** for efficient expansion of the 911 center and emergency response facilities
- **Replacing** approximately 3,000 analog radios currently used by first responders countywide.



**Communications System  
Bond Measure**

**Measure 34-243**  
Primary Election • May 17, 2016

**What would Measure 34-243 do?**

Authorize bonds to pay for \$77 million in capital costs for emergency and 911 facilities, including:

- **Converting** the existing system to current technology
- **Improving** countywide coverage by installing more towers
- **Strengthening** facilities for earthquakes, storms and other emergencies
- **Providing** for efficient expansion of the 911 center and emergency response facilities
- **Replacing** approximately 3,000 analog radios currently used by first responders countywide.



**Communications System  
Bond Measure**

**Measure 34-243**  
Primary Election • May 17, 2016

**What would Measure 34-243 do?**

Authorize bonds to pay for \$77 million in capital costs for emergency and 911 facilities, including:

- **Converting** the existing system to current technology
- **Improving** countywide coverage by installing more towers
- **Strengthening** facilities for earthquakes, storms and other emergencies
- **Providing** for efficient expansion of the 911 center and emergency response facilities
- **Replacing** approximately 3,000 analog radios currently used by first responders countywide.



**Communications System  
Bond Measure**

**Measure 34-243**  
Primary Election • May 17, 2016

**What would Measure 34-243 do?**

Authorize bonds to pay for \$77 million in capital costs for emergency and 911 facilities, including:

- **Converting** the existing system to current technology
- **Improving** countywide coverage by installing more towers
- **Strengthening** facilities for earthquakes, storms and other emergencies
- **Providing** for efficient expansion of the 911 center and emergency response facilities
- **Replacing** approximately 3,000 analog radios currently used by first responders countywide.

**Why does the emergency communications system need to be upgraded?**

The system has worked for decades, but now manufacturers no longer make key parts, the technology is outdated and the buildings and towers are not designed to withstand predicted seismic activity.

**How much would this measure cost taxpayers?**

The projected levy rate is not expected to exceed 8¢ per \$1,000 of assessed value. The actual rate may vary depending on changes in bond interest rates and assessed values. This rate would be levied over less than 21 years. A typical homeowner would pay about \$20 in 2016. This assumes an average assessed value (not market value) of \$255,408.

**More information:**

Call 503-846-8685 or  
visit <http://wcemergencycommunications.blogspot.com>

This information was reviewed by the Oregon Secretary of State's Office  
for compliance with ORS 260.432. (ADV. 16-015)

**Why does the emergency communications system need to be upgraded?**

The system has worked for decades, but now manufacturers no longer make key parts, the technology is outdated and the buildings and towers are not designed to withstand predicted seismic activity.

**How much would this measure cost taxpayers?**

The projected levy rate is not expected to exceed 8¢ per \$1,000 of assessed value. The actual rate may vary depending on changes in bond interest rates and assessed values. This rate would be levied over less than 21 years. A typical homeowner would pay about \$20 in 2016. This assumes an average assessed value (not market value) of \$255,408.

**More information:**

Call 503-846-8685 or  
visit <http://wcemergencycommunications.blogspot.com>

This information was reviewed by the Oregon Secretary of State's Office  
for compliance with ORS 260.432. (ADV. 16-015)

**Why does the emergency communications system need to be upgraded?**

The system has worked for decades, but now manufacturers no longer make key parts, the technology is outdated and the buildings and towers are not designed to withstand predicted seismic activity.

**How much would this measure cost taxpayers?**

The projected levy rate is not expected to exceed 8¢ per \$1,000 of assessed value. The actual rate may vary depending on changes in bond interest rates and assessed values. This rate would be levied over less than 21 years. A typical homeowner would pay about \$20 in 2016. This assumes an average assessed value (not market value) of \$255,408.

**More information:**

Call 503-846-8685 or  
visit <http://wcemergencycommunications.blogspot.com>

This information was reviewed by the Oregon Secretary of State's Office  
for compliance with ORS 260.432. (ADV. 16-015)

**Why does the emergency communications system need to be upgraded?**

The system has worked for decades, but now manufacturers no longer make key parts, the technology is outdated and the buildings and towers are not designed to withstand predicted seismic activity.

**How much would this measure cost taxpayers?**

The projected levy rate is not expected to exceed 8¢ per \$1,000 of assessed value. The actual rate may vary depending on changes in bond interest rates and assessed values. This rate would be levied over less than 21 years. A typical homeowner would pay about \$20 in 2016. This assumes an average assessed value (not market value) of \$255,408.

**More information:**

Call 503-846-8685 or  
visit <http://wcemergencycommunications.blogspot.com>

This information was reviewed by the Oregon Secretary of State's Office  
for compliance with ORS 260.432. (ADV. 16-015)